=> d his

(FILE 'HOME' ENTERED AT 14:42:33 ON 11 APR 2003)

	•															
	FILE 'CA' ENTERED AT 14:42:42 ON 11 APR 2003															
			Ε	ANGELL	ADRIA	N J	N NHC	AYNE	FOE	RTH/	/AU					
L1		18	S	E2, E4												
			E	FRNACE	PAUL	AMA	UA\TA									
				FRANCE												
L2		ΔΔ		E1-E9			11,110									
L3			_	L2 AND	רערז.0	יציות	#NTGT									
L4								msz	o n	~ n 1	 /TMTD/		DODEC	^ D		۵.
		5	٥	CYCLODE	TXIKIN	? (P,	(CAV	TY	OR	CAV	/ITIES	OR	PORES	OR	HOLLOW	OR
HON																
L5		7	S	CYCLODE	XTRIN	?(P)	(CAV	TY	OR	CAV	/ITIES	OR	PORES	OR	HOLLOW	OR
HON																
L6		2	S	L5 NOT	L4											
	FILE 'USPATFULL' ENTERED AT 14:50:30 ON 11 APR 2003															
L7		14						•	011		2	.000				
F8		160														
L9		1555	S	CYCLODE	XTRIN	?(P)	(INOI	RGAN	IC	OR	SULFA	TE#	OR SU	LPHA	ATE# OR	

=>

CARBON L10

68 S L8 AND L9

L4 5 CYCLODEXTRIN? (P) (CAVITY OR CAVITIES OR PORES OR HOLLOW OR HONEYC

OMB?) (P) DETERGENT#

=> d 1-5 14 ti

- L4 ANSWER 1 OF 5 CA COPYRIGHT 2003 ACS
- TI Molecular organization of acyl lipids in photosynthetic membranes of higher plants
- L4 ANSWER 2 OF 5 CA COPYRIGHT 2003 ACS
- TI Inclusion process of ionic detergents with cyclodextrins as studied by the conductance stopped-flow method
- L4 ANSWER 3 OF 5 CA COPYRIGHT 2003 ACS
- TI Hydrophilic cyclodextrin derivatives enable effective oral administration of steroidal hormones
- L4 ANSWER 4 OF 5 CA COPYRIGHT 2003 ACS
- TI Stabilization and controlled release of perfume in detergents
- L4 ANSWER 5 OF 5 CA COPYRIGHT 2003 ACS
- TI Inclusional association of a fluorescence detergent probe with cyclodextrins. Microscopic environment of the interior of a cyclodextrin cavity

=>

```
L4
     ANSWER 5 OF 5 CA COPYRIGHT 2003 ACS
AN
     97:39271 CA
ΤI
     Inclusional association of a fluorescence detergent probe with
     cyclodextrins. Microscopic environment of the interior of a
     cyclodextrin cavity
ΑU
     Turro, Nicholas J.; Okubo, Tsuneo; Chung, Chao Jen
CS
     Chem. Dep., Columbia Univ., New York, NY, 10027, USA
SO
     Journal of the American Chemical Society (1982), 104(14), 3954-7
     CODEN: JACSAT; ISSN: 0002-7863
DT
     Journal
LΑ
     English
CC
     33-4 (Carbohydrates)
     Section cross-reference(s): 22
AΒ
     The fluorescence parameters (peak max., lifetime, relative intensity, and
     depolarization) of ag. solns. of a cationic detergent probe,
     11-(3-hexyl-1-indolyl)undecyltrimethylammonium bromide (I), have been
    measured in the presence of .alpha.-, .beta.-, and :gamma.-cyclodextrins
    at ambient and elevated pressures. The results are consistent with the
     formation of complexes of I and the cyclodextrins. NMR measurements
    confirm the existence of the I-cyclodextrin complexes. The probe
    experiences a somewhat different environment in each complex. The
    are compared to those for the same probe in the environment of ionic
    micelles and of the macroions o polyelectrolytes.
ST
    inclusion assocn hexylindolylundecyltrimethylammonium cyclodextrin
IT
        (of (hexylindolyl)undecyltrimethylammonium bromide in presence of
        cyclodextrins)
IT
    Molecular association
        (of (hexylindolyl)undecyltrimethylammonium bromide with cyclodextrins)
ΙT
    Inclusion compounds
    RL: RCT (Reactant); RACT (Reactant or reagent)
        (of cyclodextrins with (hexylindolyl) undecyltrimethylammonium bromide)
IT
    7585-39-9
               10016-20-3
                            17465-86-0
    RL: RCT (Reactant); RACT (Reactant or reagent)
        (inclusion complexation of, with
(hexylindolyl) undecyltrimethylammonium
       bromide)
    51097-79-1
IT
    RL: RCT (Reactant); RACT (Reactant or reagent)
```

(inclusion complexation of, with cyclodextrins)

L5 7 CYCLODEXTRIN? (P) (CAVITY OR CAVITIES OR PORES OR HOLLOW OR

HONEYC

OMB?) AND DETERGENT#

=> s 15 not 14

L6 2 L5 NOT L4

=> d 1-2 16 ti

- L6 ANSWER 1 OF 2 CA COPYRIGHT 2003 ACS
- TI Studies of solvation of ketocyanine dyes in homogeneous and heterogeneous media by UV/Vis spectroscopic method
- L6 ANSWER 2 OF 2 CA COPYRIGHT 2003 ACS
- TI Inclusional association of phenolphthalein with cyclodextrins in the presence of polyelectrolytes and ionic **detergents** as studied by the temperature-jump technique

=>

L7 14 CYCLODEXTRIN? (P) (CAVITY OR CAVITIES OR PORES OR HOLLOW OR HONEYC

OMB?) (P) DETERGENT#

- => d 1-14 17 ti
- L7 ANSWER 1 OF 14 USPATFULL
- TI Method of isolating mucilaginous polysaccharides and uses thereof
- L7 ANSWER 2 OF 14 USPATFULL
- TI Compositions and methods for the therapy and diagnosis of colon cancer
- L7 ANSWER 3 OF 14 USPATFULL
- TI Compositions and methods for the therapy and diagnosis of ovarian cancer
- L7 ANSWER 4 OF 14 USPATFULL
- TI Compositions and methods for in vivo delivery of polynucleotide-based therapeutics
- L7 ANSWER 5 OF 14 USPATFULL
- TI Dioxane-substituted cyclodextrin macromolecules and inclusion complexes
- L7 ANSWER 6 OF 14 USPATFULL
- TI Alkylations of cyclodextrins leading to derivatives which have a ridgidly extended cavity
- L7 ANSWER 7 OF 14 USPATFULL
- TI Preparation of colloidal aqueous solutions of active substances of low solubility and a lipid therefor
- L7 ANSWER 8 OF 14 USPATFULL
- TI Preparation of colloidal aqueous solutions of active substances of low solubility and a lipid therefor
- L7 ANSWER 9 OF 14 USPATFULL
- TI Preparation of colloidal aqueous solutions of active substances of low solubility
- L7 ANSWER 10 OF 14 USPATFULL
- TI Method for refolding misfolded enzymes with detergent and cyclodextrin
- L7 ANSWER 11 OF 14 USPATFULL
- TI Method for improving thickeners for aqueous systems
- L7 ANSWER 12 OF 14 USPATFULL
- TI Method for improving thickeners for aqueous systems
- L7 ANSWER 13 OF 14 USPATFULL
- TI Separation of cyclodextrins by affinity chromatography
- L7 ANSWER 14 OF 14 USPATFULL
- TI Administration of sex hormones in the form of hydrophilic cyclodextrin derivatives